Lower Gwynedd Township

Building & Zoning Department | Phone: (215) 646-5302

1130 North Bethlehem Pike Spring House, PA 19477



Large Above-Ground Pools/ In-Ground Pools Requirements

Before submitting your permit and plans, please double check that you have included the required information. More detail is better than less, and incomplete submissions will delay your permit.

Large above-ground pools and any in-ground pools require:

Complete Zoning, Building, Electrical, & Plumbing section of Permit Complete Fence Permit Complete Grading Permit Complete Application for Contractors License All applications/plans must demonstrate strict compliance with pool barrier requirements before a permit is issued.
ng/Site Plan (minimum scale than 20' = 1") Provide 2 copies of the showing all of the following:
Name, address, and phone number of applicant and owner
Address of site (location of the work)
North arrow & drawing scale
Property lines & dimensions (measurements)
Setback lines to indicate required yards
Exiting improvements on the land and their dimensions- i.e. house, porch, deck, shed, driveways
Proposed improvements and their dimensions- clearly indicated that this is the proposed
Distances from any existing and proposed structures to the property lines
Streets and alleys (with labels)
Driveway location and information
Sidewalks, curbs, streetlights
Location and square footage of all structures on the property

	Total square footage of existing living space and square footage of proposed additional space Trees with trunk diameter of 6" or more that are located within 50 feet of proposed work			
Building Plans (Preferred scale ¼" = 1') Provide 2 copies of the plans showing all the following:				
	Floor plan information is on sheet(s) or page(s) Structural plan information is on sheet(s) or page(s) Foundation plan information is on sheet(s) or page(s) Sectional detail is on sheet(s) or pages(s) Building and door schedule is on sheet(s) or page(s) Building elevations for each side of structure Floor plan for each floor (including basement and attic) Smoke detector placement is indicated in the floor plans Necessary egress windows are labeled as such the floor plans Foundation plans (footings 36-inch-deep minimum) Crawlspace and attic ventilation information Type and location of all anchorage hardware, including specific type hold downs and hurricane straps Beam, header, girder, columns and post sizes and material Directions, size, support, placement, and spacing for all ceiling, framing, and roofing members Window and door schedule showing all sizes and energy efficiency information Stairways and handrails with measurements Floor and wall assemblies Sectional view showing detail of footings through roof Header sizes and materials include design calculations for any header longer than 6 feet. Dimensions of all required access openings Identify all construction materials Show all required energy efficiency features (For additions attach Energy work sheet or ResCheck			
	bing Plans (Preferred scale½"= 1') Provide 2 copies of the plans ing all the following:			
	Plumbing plan information is on sheet(s) or page(s) Riser diagram is on sheet(s) or page(s) All fixtures are shown All pipe and venting is shown Dimensions of all required access openings Manufacturers specifications are included for any mechanical vents Piping type is identified			

Electrical Plans (Preferred scale 1/4"	= 1') Provide 2 copies of the pla	ns
showing all the following:		

Electrical plan information is on sheet(s) or page(s)
Electrical plans are reviewed and stamped by underwriter